

Spectral responses of sulfur deficiency in oilseed rape - first results of a field experiment

Holger Lilienthal, Heike Gerighausen, J. Krieger and Ewald Schnug

Institute for Crop and Soil Science, Julius Kühn-Institut (JKI), Braunschweig, Germany (E-mail: holger.lilienthal@julius-kuehn.de)

Sulfur deficiency in oilseed rape is clearly visible during flowering due to distinct color differences. Whilst sulfur deficiency is characterized by lightened white flowers, plants with good sulfur supply have strong yellow flowers. Remote sensing can be a tool to detect sulfur deficiency at flowering, especially with the advent of the *European Copernicus Programme* and its Sentinel-2 high resolution satellites. The imagery repeat frequency is five days at equator and even 2-3 days at higher latitudes, like in Germany. Remote sensing of oilseed rape at flowering must take place at the full bloom of the plants, since early or late flowering phases can falsify the result. Since this time span cannot always be covered by satellite remote sensing at regional scale, the spectral response of the plants under sulfur deficiency at other phenological stages needs to be investigated. A field trial has been performed to identify the spectral behavior of oilseed rape under different fertilizing conditions und phenological stages. Ten different genotypes and two different nitrogen (200 and 100 kg/ha), as well as two sulfur levels (40 and 10 kg/ha) have been applied. The plots were spectrally measured during the vegetation period to determine possible spectral indications for the detection of sulfur deficiency in oilseed rape next to the time of flowering.

Bearbeitet von/ Compiled by:

Luit J. De Kok², Silvia Haneklaus¹, Ewald Schnug¹

**25th International Symposium of the Scientific
Centre for Fertilizers “Significance of Sulfur in
High-Input Cropping Systems”
Groningen (Netherlands), September 5-8, 2017**

¹Julius Kühn-Institut (JKI), Bundesforschungsinstitut für Kulturpflanzen
Institut für Pflanzenbau und Bodenkunde

²University of Groningen
Faculty of Science and Engineering

Berichte aus dem Julius Kühn-Institut

191



Kontaktadresse/ Contact

Dr. Silvia Haneklaus
Federal Research Centre for Cultivated Plants
Institute for Crop and Soil Science
Bundesallee 50
38116 Braunschweig
Germany

Telefon +49 (0) 531 596 2121
Telefax +49 (0) 531 596 2199

Wir unterstützen den offenen Zugang zu wissenschaftlichem Wissen.
Die Berichte aus dem Julius Kühn-Institut erscheinen daher als OPEN ACCESS-Zeitschrift.
Alle Ausgaben stehen kostenfrei im Internet zur Verfügung:
<http://www.julius-kuehn.de> Bereich Veröffentlichungen – Berichte.

We advocate open access to scientific knowledge. Reports from the Julius Kühn Institute are therefore published as open access journal. All issues are available free of charge under <http://www.julius-kuehn.de> (see Publications – Reports).

Herausgeber / Editor

Julius Kühn-Institut, Bundesforschungsinstitut für Kulturpflanzen, Braunschweig, Deutschland
Julius Kühn Institute, Federal Research Centre for Cultivated Plants, Braunschweig, Germany

Vertrieb

Saphir Verlag, Gutsstraße 15, 38551 Ribbesbüttel
Telefon +49 (0)5374 6576
Telefax +49 (0)5374 6577

ISSN 1866-590X

DOI 10.5073/berjki.2017.191.000



Dieses Werk ist lizenziert unter einer [Creative Commons – Namensnennung – Weitergabe unter gleichen Bedingungen – 4.0 Lizenz](https://creativecommons.org/licenses/by-sa/4.0/).
This work is licensed under a [Creative Commons – Attribution – ShareAlike – 4.0 license](https://creativecommons.org/licenses/by-sa/4.0/).